

BMW Motorrad

Maintenance schedule

0509 - K 1300 S, K40 11



<input type="text"/>	<input type="text"/>	<input type="text" value="6000"/>
Customer	Registration No.	Odometer reading
<input type="text"/>	<input type="text"/>	<input type="text"/>
Order No.	Date	Mechanic's + Manager's signature

00 00 111 BMW Service

- | | |
|---|---|
| Reading fault memory with BMW Motorrad diagnostic system | <input type="checkbox"/> |
| Checking transparency of hose for engine-oil level indicator | <input type="checkbox"/> |
| 11 00 609 Oil change in engine with filter (for maintenance) | Annually or every 10,000 km <input type="checkbox"/> |
| 33 00 501 Oil change, rear wheel drive | every two years or every 20,000 km <input type="checkbox"/> |
| Visually inspecting brake pipes, brake hoses and connections | <input type="checkbox"/> |
| Checking front brake pads and brake discs for wear | <input type="checkbox"/> |
| 34 00 548 Changing brake fluid, front brakes | initially after one year, then every two years <input type="checkbox"/> |
| Checking rear brake pads and brake disc for wear | <input type="checkbox"/> |
| 34 00 549 Changing brake fluid, rear brakes | initially after one year, then every two years <input type="checkbox"/> |
| Checking clutch system | <input type="checkbox"/> |
| Checking freedom of movement of throttle cable and checking for kinks and chafing | <input type="checkbox"/> |
| Checking coolant level | <input type="checkbox"/> |
| Checking tyre pressures and tread depth | <input type="checkbox"/> |
| Checking ease of movement of side stand | <input type="checkbox"/> |
| Checking lights and signalling equipment | <input type="checkbox"/> |
| Function test, engine start suppression | <input type="checkbox"/> |
| Final inspection and check of roadworthiness | <input type="checkbox"/> |
| Reading fault memory with BMW Motorrad diagnostic system | <input type="checkbox"/> |
| Setting service-due date and service countdown distance | <input type="checkbox"/> |

Check the battery charge state

Confirming BMW Service in on-board documentation
